


## Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

1. (currently amended) A compound of Formula (IA)



wherein:

$R^1$  is phenyl optionally independently substituted with one to three substituent groups,

wherein each substituent group of  $R^1$  is independently  $C_1$ - $C_5$  alkyl,  $C_2$ - $C_5$  alkenyl,  $C_2$ - $C_5$  alkynyl,  $C_3$ - $C_8$  cycloalkyl, heterocyclyl, aryl, heteroaryl,  $C_1$ - $C_5$  alkoxy,  $C_2$ - $C_5$  alkenyloxy,  $C_2$ - $C_5$  alkynyloxy, aryloxy, acyl,  $C_1$ - $C_5$  alkoxycarbonyl,  $C_1$ - $C_5$  alkanoyloxy,  $C_1$ - $C_5$  alkanoyl, aroyl, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy,  $C_1$ - $C_5$  alkylaminocarbonyloxy,  $C_1$ - $C_5$  dialkylaminocarbonyloxy,  $C_3$ - $C_5$  cycloalkylaminocarbonyloxy,  $C_1$ - $C_5$  alkanoylamino,  $C_1$ - $C_5$  alkoxycarbonylamino,  $C_1$ - $C_5$  alkylsulfonylamino, aminosulfonyl,  $C_1$ - $C_5$  alkylaminosulfonyl,  $C_1$ - $C_5$  dialkylaminosulfonyl, halogen, hydroxy, oxo, carboxy, cyano, trifluoromethyl, trifluoromethoxy, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by  $C_1$ - $C_5$  alkyl or aryl; or ureido wherein either nitrogen atom is optionally independently substituted with  $C_1$ - $C_5$  alkyl or  $C_3$ - $C_5$  cycloalkyl; or  $C_1$ - $C_5$  alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of  $R^1$  is optionally independently substituted with one to four substituent groups selected from aryl or heterocyclyl wherein the heterocycle is optionally independently substituted with hydroxyl, halogen, methyl, or dialkyl amino;  $C_1$ - $C_5$  alkoxycarbonyl, methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by  $C_1$ - $C_5$  alkyl or  $C_1$ - $C_3$  dialkylamines or aryl; or ureido wherein either nitrogen atom is optionally independently substituted with  $C_1$ - $C_5$  alkyl;

aminosulfonyl, or oxime wherein the oxygen atom is optionally substituted by C<sub>1</sub>-C<sub>5</sub> alkyl or benzyl;

R<sup>2</sup> and R<sup>3</sup> are each independently hydrogen, C<sub>1</sub>-C<sub>5</sub> alkyl, or C<sub>5</sub>-C<sub>15</sub> arylalkyl group, or R<sup>2</sup> and R<sup>3</sup> together with the carbon atom they are commonly attached to form a C<sub>3</sub>-C<sub>8</sub> spiro cycloalkyl ring, or

R<sup>1</sup> and R<sup>2</sup> when taken together are a chromanyl or dihydrobenzofuranyl optionally substituted with C<sub>1</sub>-C<sub>5</sub> alkyl, C<sub>2</sub>-C<sub>5</sub> alkenyl, C<sub>2</sub>-C<sub>5</sub> alkynyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, heterocyclyl, aryl, heteroaryl, C<sub>1</sub>-C<sub>5</sub> alkoxy, C<sub>2</sub>-C<sub>5</sub> alkenyloxy, C<sub>2</sub>-C<sub>5</sub> alkynyloxy, aryloxy, acyl, C<sub>1</sub>-C<sub>5</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>5</sub> alkanoyloxy, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C<sub>1</sub>-C<sub>5</sub> alkylaminocarbonyloxy, C<sub>1</sub>-C<sub>5</sub> dialkylaminocarbonyloxy, C<sub>1</sub>-C<sub>5</sub> alkanoylamino, C<sub>1</sub>-C<sub>5</sub> alkoxycarbonylamino, C<sub>1</sub>-C<sub>5</sub> alkylsulfonylamino, aminosulfonyl, C<sub>1</sub>-C<sub>5</sub> alkylaminosulfonyl, C<sub>1</sub>-C<sub>5</sub> dialkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C<sub>1</sub>-C<sub>5</sub> alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C<sub>1</sub>-C<sub>5</sub> alkyl; or C<sub>1</sub>-C<sub>5</sub> alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone;

R<sup>4</sup> is carbonyl or methylene optionally independently substituted with one to two substituent groups selected from C<sub>1</sub>-C<sub>3</sub> alkyl, hydroxy, and halogen;

R<sup>5</sup> is a pyrrolidine, morpholine, thiomorpholine, piperazine, piperidine, 1*H*-pyridin-4-one, 1*H*-pyridin-2-one, 1*H*-pyridin-4-ylideneamine, 1*H*-quinolin-4-ylideneamine, pyran, tetrahydropyran, 1,4-diazepane, 2,5-diazabicyclo[2.2.1]heptane, 2,3,4,5-tetrahydrobenzo[*b*][1,4]diazepine, dihydroquinoline, tetrahydroquinoline, 5,6,7,8-tetrahydro-1*H*-quinolin-4-one, tetrahydroisoquinoline, decahydroisoquinoline, 2,3-dihydro-1*H*-isoindole, 2,3-dihydro-1*H*-indole, chroman, 1,2,3,4-tetrahydroquinoxaline, 1,2-dihydroindazol-3-one, 3,4-dihydro-2*H*-benzo[1,4]oxazine, 4*H*-benzo[1,4]thiazine, 3,4-dihydro-2*H*-benzo[1,4]thiazine, 1,2-dihydrobenzo[*d*][1,3]oxazin-4-one, 3,4-dihydrobenzo[1,4]oxazin-4-one, 3*H*-quinazolin-4-one, 3,4-dihydro-1*H*-quinoxalin-2-one, 1*H*-cinnolin-4-one, 1*H*-quinazolin-4-one, 1*H*-[1,5]naphthyridin-4-one, 5,6,7,8-tetrahydro-1*H*-[1,5]naphthyridin-4-one, 2,3-dihydro-1*H*-[1,5]naphthyridin-4-one, 1,2-

dihydropyrido[3,2-*d*][1,3]oxazin-4-one, pyrrolo[3,4-*c*]pyridine-1,3-dione, 1,2-dihydropyrrolo[3,4-*c*]pyridin-3-one, or tetrahydro[*b*][1,4]diazepinone, group, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R<sup>5</sup> is independently C<sub>1</sub>-C<sub>5</sub> alkyl, C<sub>2</sub>-C<sub>5</sub> alkenyl, C<sub>2</sub>-C<sub>5</sub> alkynyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, heterocyclyl, aryl, heteroaryl, C<sub>1</sub>-C<sub>5</sub> alkoxy, C<sub>2</sub>-C<sub>5</sub> alkenyloxy, C<sub>2</sub>-C<sub>5</sub> alkynyloxy, aryloxy, acyl, C<sub>1</sub>-C<sub>5</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>5</sub> alkanoyloxy, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C<sub>1</sub>-C<sub>5</sub> alkylaminocarbonyloxy, C<sub>1</sub>-C<sub>5</sub> dialkylaminocarbonyloxy, C<sub>1</sub>-C<sub>5</sub> alkanoylamino, C<sub>1</sub>-C<sub>5</sub> alkoxycarbonylamino, C<sub>1</sub>-C<sub>5</sub> alkylsulfonylamino, C<sub>1</sub>-C<sub>5</sub> alkylaminosulfonyl, C<sub>1</sub>-C<sub>5</sub> dialkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C<sub>1</sub>-C<sub>5</sub> alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C<sub>1</sub>-C<sub>5</sub> alkyl; or C<sub>1</sub>-C<sub>5</sub> alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R<sup>5</sup> is optionally independently substituted with one to three substituent groups selected from C<sub>1</sub>-C<sub>3</sub> alkyl, C<sub>1</sub>-C<sub>3</sub> alkoxy, C<sub>1</sub>-C<sub>3</sub> alkoxycarbonyl, acyl, aryl, benzyl, heteroaryl, heterocyclyl, halogen, hydroxy, oxo, cyano, amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C<sub>1</sub>-C<sub>5</sub> alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C<sub>1</sub>-C<sub>5</sub> alkyl; or trifluoromethyl; and

X is a hydroxy or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C<sub>1</sub>-C<sub>5</sub> alkyl,

or a tautomer, ~~prodrug~~, ~~solvate~~, or salt thereof.

2. (currently amended) The compound of Formula (IA) according to claim 1, wherein:

each substituent group of R<sup>1</sup> is independently C<sub>1</sub>-C<sub>3</sub> alkyl, C<sub>2</sub>-C<sub>3</sub> alkenyl, C<sub>2</sub>-C<sub>3</sub> alkynyl, C<sub>1</sub>-C<sub>3</sub> alkoxy, C<sub>2</sub>-C<sub>3</sub> alkenyloxy, C<sub>1</sub>-C<sub>3</sub> alkanoyl, C<sub>1</sub>-C<sub>3</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>3</sub> alkanoyloxy, halogen, hydroxy, acyl, oxo, carboxy, cyano, trifluoromethyl, nitro,

or C<sub>1</sub>-C<sub>3</sub> alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R<sup>1</sup> is optionally independently substituted with a substituent group selected from methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino;

R<sup>2</sup> and R<sup>3</sup> are each independently hydrogen, C<sub>1</sub>-C<sub>3</sub> alkyl, benzyl, or phenethyl, or R<sup>2</sup> and R<sup>3</sup> together with the carbon atom they are commonly attached to form a C<sub>3</sub>-C<sub>6</sub> spiro cycloalkyl ring; and

R<sup>4</sup> is CH<sub>2</sub>,

or a tautomer, ~~prodrug, solvate,~~ or salt thereof.

3. (currently amended) The compound of Formula (IA) according to claim 1, wherein:

each substituent group of R<sup>1</sup> is independently methyl, ethyl, methoxy, ethoxy, fluoro, chloro, bromo, hydroxy, trifluoromethyl, acyl, oxo, C<sub>1</sub>-C<sub>5</sub> alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone, or cyano;

R<sup>2</sup> and R<sup>3</sup> are each independently methyl, or R<sup>2</sup> and R<sup>3</sup> together with the carbon atom they are commonly attached to form a spiro cyclopropyl ring; and

R<sup>4</sup> is CH<sub>2</sub>,

or a tautomer, ~~prodrug, solvate,~~ or salt thereof.

4. (currently amended) The compound of Formula (IA) according to claim 1, wherein:

each substituent group of R<sup>1</sup> is independently C<sub>1</sub>-C<sub>3</sub> alkyl, C<sub>2</sub>-C<sub>3</sub> alkenyl, C<sub>2</sub>-C<sub>3</sub> alkynyl, C<sub>1</sub>-C<sub>3</sub> alkoxy, C<sub>2</sub>-C<sub>3</sub> alkenyloxy, C<sub>1</sub>-C<sub>3</sub> alkanoyl, C<sub>1</sub>-C<sub>3</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>3</sub> alkanoyloxy, halogen, hydroxy, carboxy, cyano, trifluoromethyl, nitro, or C<sub>1</sub>-C<sub>3</sub> alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone; and

R<sup>2</sup> and R<sup>3</sup> are each independently hydrogen or C<sub>1</sub>-C<sub>3</sub> alkyl,

or a tautomer, ~~prodrug~~, solvate, or salt thereof.

5. (currently amended) A compound selected from:

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazin-1-yl}ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazine-1-carbaldehyde;

1-{5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,5-diazabicyclo[2.2.1]hept-2-yl}ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxaline-1-carbaldehyde;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-1*H*-quinoxalin-2-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-2,6-dione;

2-(2,6-Dimethylthiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(1,1-Dioxo-1*H*-1λ<sup>6</sup>-benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(1,1-Dioxo-2,3-dihydro-1*H*-1λ<sup>6</sup>-benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-{5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3,4,5-tetrahydrobenzo[*b*][1,4]diazepin-1-yl}ethanone;

5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3,4,5-tetrahydrobenzo[*b*][1,4]diazepin-2-one;

2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]isoindole-1,3-dione;

2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]pyrrolo[3,4-*c*]pyridine-1,3-dione;

2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindole-5-carbonitrile;

2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-methylpentan-2-ol;

1-{4-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazin-1-yl}ethanone;

2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-methylpentan-2-ol;

2-(2,6-Dimethylthiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-methylpentan-2-ol;

5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,5-diazabicyclo[2.2.1]heptan-3-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-morpholin-4-ylmethylpentan-2-ol;

2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-isopropyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Cyanophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Carboxamidophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,6-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;



1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-isopropyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydrobenzo[*d*][1,3]oxazin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydrobenzo[*d*][1,3]oxazin-4-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydrobenzo[1,4]oxazin-2-one;

4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydrobenzo[1,4]oxazin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-piperazin-1-ylmethylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methylpiperazin-1-ylmethyl)pentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}ethanone;

2-(3,5-Dimethylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(3,4,5-trimethylpiperazin-1-ylmethyl)pentan-2-ol;

2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methyl-3,4-dihydro-2*H*-quinoxalin-1-ylmethyl)pentan-2-ol;

2-[1,4]Diazepan-1-ylmethyl-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methyl-[1,4]diazepan-1-ylmethyl)pentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepan-1-yl}ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carbaldehyde;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-thiomorpholin-4-ylmethylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-1 $\lambda^5$ -thiomorpholin-4-ylmethyl)pentan-2-ol;

2-(1,1-Dioxo-1 $\lambda^6$ -thiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1*H*-1 $\lambda^4$ -benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}ethanone;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-hydroxymethyl-2-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-[1,3]Dioxan-2-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(3-Cyclopropanecarbonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-hydroxymethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Acetylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-{2-Hydroxy-4-[3-(1-hydroxyethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

3-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-(4-imino-4*H*-quinolin-1-ylmethyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxy-2-methyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxy-2-methyl-1*H*-pyridin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxymethyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-oxopropoxy)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-hydroxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;



1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;

2-(3,4-Dihydro-2*H*-quinolin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-ol;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-hydroxypropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-oxopropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Benzoyloxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-4-carboxylic acid amide;

1-[4-(2,3-Dihydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

3-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3*H*-quinazolin-4-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1-methyl-3,4-dihydro-1*H*-quinoxalin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4,6-dimethyl-2-oxo-1,2-dihydropyridine-3-carbonitrile;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-1*H*-quinolin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-nitro-1*H*-pyridin-2-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-3-nitro-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-5-nitro-1*H*-pyridin-2-one;

2-(3,4-Dihydro-1*H*-isoquinolin-2-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(1,3-Dihydroisoindol-2-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydroindol-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3-dihydroindol-2-one;

1-[4-(3-Dimethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-morpholin-4-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Diethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-{[(2-Dimethylaminoethyl)methylamino]methyl}phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-[3-(3-hydroxypyrrolidin-1-ylmethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(3-Ethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyrrolidin-1-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-piperidin-1-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(4-methylpiperazin-1-ylmethyl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-{4-[3-(3-Dimethylaminopyrrolidin-1-ylmethyl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-methylaminomethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(3-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(3-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Acetyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methanesulfonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzenesulfonamide;

4-Fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzamide;

4-Fluoro-*N,N*-dimethyl-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzamide;

1-[4-(5-Fluoro-2-oxazol-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-oxazol-5-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3-oxazol-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3-oxazol-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}furan-2-ylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}thiophen-2-ylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}phenylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(4-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(2-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(3-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}furan-2-ylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}thiophen-2-ylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}phenylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(4-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(2-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(3-fluorophenyl)methanone;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5,6,7,8-tetrahydro-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-3-morpholin-4-ylmethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-morpholin-4-ylmethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-{[Ethyl-(2-methoxyethyl)amino]methyl}phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

2-[4-(3-Chloro-5-trifluoromethylpyridin-2-yl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

1-(4-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}phenyl)ethanone;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(4-fluorophenyl)piperazin-1-ylmethyl]-4-methylpentan-2-ol;



1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-phenylpiperazin-1-ylmethyl)pentan-2-ol;

2-[4-(2,4-Difluorophenyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid ethyl ester;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}-(tetrahydrofuran-2-yl)methanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid benzyl ester;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyrimidin-2-ylpiperazin-1-ylmethyl)pentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-carboxylic acid amide;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carboxylic acid benzyl ester;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[4-(5-pyrazin-2-yl-[1,3,4]oxadiazol-2-yl)piperidin-1-ylmethyl]pentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyridin-2-ylpiperazin-1-ylmethyl)pentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-4-carboxylic acid methyl ester;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-2-one;

1-{ 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydrobenzoimidazol-2-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(octahydroisoquinolin-2-ylmethyl)pentan-2-ol;

{ 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}acetic acid ethyl ester;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(2-Acetyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

4-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzonitrile;

1-[4-(4-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzonitrile;

2-(4-Benzylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(4-Benzo[1,3]dioxol-5-ylmethylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(2-methylpiperidin-1-ylmethyl)pentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-trifluoromethylpiperidin-1-ylmethyl)pentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(4-fluorophenyl)piperidin-1-ylmethyl]-4-methylpentan-2-ol;

2-[4-(4-Bromophenyl)piperidin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methylpiperidin-1-ylmethyl)pentan-2-ol;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-  
[1,4]diazepane-1-carboxylic acid *tert*-butyl ester;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-  
carboxylic acid *tert*-butyl ester;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(2-methoxyphenyl)piperazin-1-  
ylmethyl]-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyrrolidin-1-ylpiperidin-1-  
ylmethyl)pentan-2-ol;

2-[1,4']Bipiperidinyl-1'-ylmethyl-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-  
methylpentan-2-ol;

2-[4-(2-Ethoxyethyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-  
methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(2-methoxyethyl)piperazin-1-ylmethyl]-  
4-methylpentan-2-ol;

2-(4-Benzylpiperidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-  
methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-  
carboxylic acid diethylamide;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-  
carboxylic acid ethyl ester;

1-{1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-  
4-yl}-1,3-dihydroindol-2-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-phenylpiperidin-1-ylmethyl)pentan-2-ol;

2-(4-Benzylpiperidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(1*H*-indol-2-yl)piperidin-1-ylmethyl]-4-methylpentan-2-ol;

5-Chloro-1-{1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydrobenzoimidazol-2-one;

{1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}acetic acid ethyl ester;

2-[4-(2,4-Dimethylphenyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(4-Benzyl-[1,4]diazepan-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carbaldehyde;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxycarbonylmethylpiperazine-1-carboxylic acid *tert*-butyl ester;

2-(4-*tert*-Butylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(3-Dimethylaminopyrrolidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-pyrrolidin-1-ylmethylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-piperidin-1-ylmethylpentan-2-ol;

Carbonic acid ethyl ester 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 2-[3-(3,3-dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester;

Methylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Carbonic acid 2-[3-(3,5-dimethyl-4-oxo-4*H*-pyridin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester methyl ester;

Methylcarbamic acid 2-[3-(3,5-dimethyl-4-oxo-4*H*-pyridin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester;

Cyclopropylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

1-Cyclopropyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

1-Cyclopropyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

1-Methyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

1-{2-[3-(3,3-Dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]phenyl}-3-methylurea;

1-(2,2,3,3-Tetramethylcyclopropyl)-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

(2,2,3,3-Tetramethylcyclopropyl)carbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Dimethylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Dimethylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Pyrrolidine-1-carboxylic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Pyrrolidine-1-carboxylic acid 2-[3-(3,3-dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]phenyl ester;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-[1,3]Dioxan-2-yl-3-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one; and

Carbonic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester methyl ester,

or a tautomer, ~~prodrug~~, solvate, or salt thereof.

6. (currently amended) A compound according to claim 5, the compound selected from:

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazine-1-carbaldehyde;

2-(1,1-Dioxo-2,3-dihydro-1*H*-1λ<sup>6</sup>-benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;



1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1*H*-1 $\lambda^4$ -benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-hydroxymethyl-2-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-[1,3]Dioxan-2-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(3-Cyclopropanecarbonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-hydroxymethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Acetylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-{2-Hydroxy-4-[3-(1-hydroxyethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

3-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-oxopropoxy)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-hydroxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-oxopropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Benzyloxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-5-trifluoromethyl-1*H*-pyridin-2-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

2-(2,3-Dihydroindol-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[2-Hydroxy-4-methyl-4-(3-morpholin-4-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

2-[4-(3-Chloro-5-trifluoromethylpyridin-2-yl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;



1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}ethanone;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one; and

Carbonic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester methyl ester,

or a tautomer, ~~prodrug~~, ~~solvate~~, or salt thereof.

7. (currently amended) A compound according to claim 6, the compound selected from:

2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

2-(1,1-Dioxo-2,3-dihydro-1H-1λ<sup>6</sup>-benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1*H*-1λ<sup>4</sup>-benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;



1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one; and

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one,

or a tautomer, ~~prodrug, solvate,~~ or salt thereof.

8. (previously amended) A pharmaceutical composition comprising an effective amount of a compound according to one of claims 1 to 7, or a tautomer, ~~prodrug, solvate,~~ or salt thereof, and a pharmaceutically acceptable excipient or carrier.

9. to 28. (cancelled)